



Wiremold
2000 Raceway Cover
Part No. G2000C



.0" (.8m) steel. Packed twenty 5' (1.5m) lengths per carton.
Shipped without receptacle hole cuts.

Features & Benefits

.0" (.8m) steel. Packed twenty 5' (1.5m) lengths per carton. Shipped without receptacle hole cuts.

Specifications

General Info

| | | | |
|-------------------|---------------|--------------------|--------------|
| Product Line | Wiremold | UPC Number | 786776090598 |
| Country Of Origin | United States | Application Sector | Commercial |

| | | | |
|----------|--|------|----------|
| Standard | cULus Listed Base & Blank Cover: File E4376 Guide RJBT. Multioutlet Assemblies: File E15191 Guide PVGT. Fittings: File E41751 Guide RJPR. Base & Blank Cover & Plugmold Series w/Snapicoil Haarness: Meets Article 386 of NEC. Meets Section 12-3032 of CEC. cULus Listed Raceway: File E4376 Guide RJBT. Fittings: File E41751 Guide RJPR. Base & Black Cover: Meets Article 386 of NEC. Meets Section 12-600 of CEC. | Type | Plugmold |
|----------|--|------|----------|

Dimensions

| | | | |
|------------------|--------|-------------------|--------|
| Product Width US | 1.3 in | Product Length US | 1.3 in |
|------------------|--------|-------------------|--------|

Listing Agencies / 3rd Party Agencies

| | | | |
|---------------------|-------|--------------|-----|
| cULus ListingNumber | E4376 | cULus Listed | Yes |
|---------------------|-------|--------------|-----|

Buy American Act Compliance

| | |
|-------|-----|
| NAFTA | Yes |
|-------|-----|

Additional Information

| | | | |
|-----------------|-----|-------------------------------|-----|
| RoHS Conformant | Yes | Product Environmental Profile | Yes |
|-----------------|-----|-------------------------------|-----|

Technical Information

| | | | |
|----------|------|----------------|-------|
| Amperage | 15 A | Enclosure Type | Steel |
|----------|------|----------------|-------|

| | | | |
|---------|---------|--------------------------|------------------------|
| Voltage | 125.0 V | Environmental Conditions | Dry interior locations |
|---------|---------|--------------------------|------------------------|
